

# HDMI KVM Extender

UDP2000P-HDMI

HDMI KVM Extension



## UDP2000P-HDMI Features

The UDP2000P-HDMI KVM extender provides perfect High Definition Video up to 4K @ 30Hz / 2560 x 1440 @60Hz and below resolutions at approximately 150m with USB keyboard & mouse, two spare USB, Audio, RS-232 and IR remote control.


Video connectivity is through HDMI (DVI-D connectivity option with HDMI-DVI adaptor cable) on the transmitting side, with HDMI (DVI-D connectivity option with HDMI-DVI adaptor cable) support on the remote user side.

This digital extension solution is based on standard UDPIP technology allowing unicast (point-to-point) or multi-cast (one-to-many) through a 1Gig Ethernet switch. Due to multi-cast features, the UDP2000P-HDMI can also be used in a multi-source video wall or even a surveillance centre.


### ICP GLOBAL PTY LTD

SUITE 603, LEVEL6 ❖ EASTGARDENS OFFICE TOWER ❖ 152 BUNNERONG ROAD ❖ EASTGARDENS NSW 2036  
TEL: (02) 9314-2092 ❖ FAX: (02) 9344-9537  
Web <http://www.icpglobal.com.au>

## User Station



## Transmitter




## Features


- Supports Full HD video resolutions up to 4K @ 30Hz / 2560x1440 @ 60Hz and below
- Supports HDMI with HDMI local out port on the transmitter
- Up to approximately 150m over CAT5, CAT6e or CAT7
- IP based technology supporting unicast (point-to-point) or multi-cast (one-to-many) through a 1Gig Ethernet switch
- Support for many-to-many group broadcasting or multi-user KVM matrix \*\* 1Gig Ethernet Switch must support at least IGMPv2 as a minimum
- Multi-user KVM matrix mode : On Screen Display (OSD) listing all attached systems
- Matrix Manager is built into each user station – no external matrix manager required
- Supports two USB HID ports for Keyboard and Mouse and two USB ports compatible with : USB touch screen, media stick, jogger wheel, tablet
- 3.5mm Audio jack for microphone in and audio out
- RS-232 and IR connectivity
- Encoder/Decoder engine with Scalar Function for video wall displays with 180, 270 Rotation

### ICP GLOBAL PTY LTD


## Direct Connect




## 1Gig Ethernet Switch : One to Many or Many to Many




## Surveillance Centre




## Multi Source Video Wall






Receivers



Receivers



**ICP GLOBAL PTY LTD**

SUITE 603, LEVEL6 ❖ EASTGARDENS OFFICE TOWER ❖ 152 BUNNERONG ROAD ❖ EASTGARDENS NSW 2036  
 TEL: (02) 9314-2092 ❖ FAX: (02) 9344-9537  
 Web <http://www.icpglobal.com.au>